FLANGE KITS WITH SEALS AND CORNERS

Schluter®-KERDI-DRAIN

Schluter®-KERDI-DRAIN - Flanges with vertical outlet


ABS


PVC


Stainless steel

Material	Outlet	1 UNIT		10-PACKS*	
		Item No.	$ / Unit	Item No.	$ / 10-Pack
ABS	50 mm - **2"**	KD2 FLK ABS	**102.03**	KD2 FLK ABS 10	**918.19**
ABS	75 mm - **3"**	KD3 FLK ABS	**115.33**	-	**-**
PVC	50 mm - **2"**	KD2 FLK PVC	**102.03**	KD2 FLK PVC 10	**918.19**
PVC	75 mm - **3"**	KD3 FLK PVC	**115.33**	-	**-**
Stainless Steel	50 mm - **2"** no-hub	KD2 FLK E	**292.82**	-	**-**
Stainless Steel	50 mm - **2"** threaded	KD2 FLK ETH	**325.82**	-	**-**
Stainless Steel	75 mm - **3"** no-hub	KD3 FLK E	**292.82**	-	**-**

***Note:** 10-packs are packaged in bulk, not individually boxed.

Schluter®-KERDI-DRAIN-H

Schluter®-KERDI-DRAIN-H - Flanges with horizontal outlet


ABS


PVC

Material	Outlet	1 UNIT	
		Item No.	$ / Unit
ABS	50 mm - **2"**	KDH2 FLK ABS	**102.03**
PVC	50 mm - **2"**	KDH2 FLK PVC	**102.03**



Schluter®-KERDI-SHOWER-CB
Height Compensation Board
See page 160

Additional components included with all flanges


4x Inside corners


2x Outside corners


1x Pipe seal (20 mm - **3/4"**)


1x Mixing valve seal (114 mm - **4-1/2"**)

Also included with stainless steel flanges



1x KERDI-FIX sealing and bonding compound (100 ml - **3.38 fl oz**)

When using a flange with 3" *(75 mm)* outlet, a 6" *(150 mm)* grate is recommended.

FLANGE MEASUREMENTS


Schluter®-KERDI-DRAIN

ABS or PVC



	50 mm - 2" drain outlet	75 mm - 3" drain outlet
A	300 mm - **11-13/16"**	300 mm - **11-13/16"**
B	115.2 mm - **4-17/32"**	115.2 mm - **4-17/32"**
C	68.6 mm - **2-45/64"**	100 mm - **3-15/16"**
D	60.5 mm - **2-3/8"**	88.8 mm - **3-1/2"**
E	100 mm - **3-15/16"**	100 mm - **3-15/16"**
F	40.6 mm - **1-39/64"**	50.8 mm - **2"**
G	22.5 mm - **7/8"**	38.1 mm - **1-1/2"**


Stainless steel



	50 mm - 2" no-hub outlet	75 mm - 3" no-hub outlet
A	250 mm - **9-27/32"**	250 mm - **9-27/32"**
B	115.4 mm - **4-1/2"**	114 mm - **4-1/2"**
C	61.3 mm - **2-13/32"**	87.4 mm - **3-7/16"**
D	60.6 mm - **2-13/32"**	84.2 mm - **3-5/16"**
E	85 mm - **3-11/32"**	87.4 mm - **3-7/16"**
F	21 mm - **53/64"**	29.4 mm - **1-5/32"**

Schluter®-KERDI-DRAIN-H

ABS or PVC



	50 mm - 2" horizontal drain outlet
A	300 mm - **11-13/16"**
B	118.3 mm - **4-21/32"**
C	69.5 mm - **2-47/64"**
D	60.5 mm - **2-3/8"**
E	85.7 mm - **3-3/8"**
F	27 mm - **1-1/16"**

ADAPTOR KITS — 5-1/2" or 7-1/2" *(140 or 191 mm)*

Schluter®-KERDI-DRAIN-A


Schluter®-KERDI-DRAIN-A ADAPTOR KITS are used to convert traditional clamping ring drains to integrated bonding flange drains when removal of the clamping ring drain is not practical. A steel adaptor ring with an overmolded rubber gasket replaces the clamping ring and is sealed to the existing drain body using Schluter®-KERDI-FIX. The bonding flange then slides into the adaptor ring and seals against the rubber gasket. Adaptor kits are suitable for both mortar bed and Schluter®-KERDI-SHOWER-T/-TS/-TT shower tray applications.

NEW! The 5-1/2" *(140 mm)* adaptor kit features an improved configuration!
- The ring has been modified to make it compatible with a larger variety of clamping ring drains.
- The flange now accommodates the tileable grate.

140 mm - 5-1/2" adaptor kit

Flange and ring	1 UNIT	
	Item No.	$ / Unit
 140 mm **5-1/2"**	KDAM5 FLK ABS	**102.03**
	10-PACK*	
	Item No.	$ / 10-Pack
 **Also included:** Height adjustment collar for KERDI-DRAIN grate	KDAM5 FLK ABS 10	**918.19**

191 mm - 7-1/2" adaptor kit

Flange and ring	1 UNIT	
	Item No.	$ / Unit
 191 mm **7-1/2"**	KDA7 FLK ABS	**139.90**
 **Also included:** Lateral adjustment ring for KERDI-DRAIN grate		

***Note:** 10-packs are packaged in bulk, not individually boxed.

Additional components included


4x Inside corners



2x Outside corners


1x Pipe seal (20 mm - **3/4"**)


1x Mixing valve seal (114 mm - **4-1/2"**)



1x KERDI-FIX sealing and bonding compound (100 ml - **3.38 fl oz**)

Flange and adaptor ring measurements - 5-1/2"



A	300 mm - **11-13/16"**
B	58.7 mm - **2-5/16"**
C	64.1 mm - **2-17/32"**
D	139.7 mm - **5-1/2"**
E	68.2 mm - **2-11/16"**
F	25.2 mm - **1"**
G	57.8 mm - **2-9/32"**

Flange and adaptor ring measurements - 7-1/2"



A	300 mm - **11-13/16"**
B	111.8 mm - **4-13/32"**
C	118.9 mm - **4-11/16"**
D	191 mm - **7-1/2"**
E	130 mm - **5-7/64"**
F	77.8 mm - **3-1/16"**
G	92.4 mm - **3-41/64"**

i

The 6" *(150 mm)* round/square grates are not compatible with the flange with 5-1/2" *(140 mm)* adaptor ring.



NEW! Schluter®-KERDI-SHOWER-CB
A compensation board used to accommodate the adaptor ring height when installing the KERDI-DRAIN-A in conjunction with the KERDI-SHOWER-T/-TS/-TT shower trays is now available.
See page 160.

FLANGE KITS WITHOUT SEALS AND CORNERS

Schluter®-KERDI-DRAIN

Schluter®-KERDI-DRAIN - Flanges with vertical outlet


ABS


PVC


Stainless steel

Material	Outlet	1 UNIT		10-PACKS*	
		Item No.	$ / Unit	Item No.	$ / 10-Pack
ABS	50 mm - **2"**	KD2/ABS/FL	**35.53**	KD2/ABS/FL10	**317.34**
ABS	75 mm - **3"**	KD3/ABS/FL	**48.82**	-	**-**
PVC	50 mm - **2"**	KD2/PVC/FL	**35.53**	KD2/PVC/FL10	**317.34**
PVC	75 mm - **3"**	KD3/PVC/FL	**48.82**	-	**-**
Stainless Steel	50 mm - **2"** no-hub	KD2/E/FL	**240.58**	KD2/E/FL10	**1,816.25**
Stainless Steel	50 mm - **2"** threaded	KD2/ETH/FL	**245.06**	-	**-**
Stainless Steel	75 mm - **3"** no-hub	KD3/E/FL	**240.58**	-	**-**

***Notes:**
- 10-packs are packaged in bulk, not individually boxed.
- The stainless steel flange 10-pack does not include KERDI-FIX.

Also included with stainless steel flanges



1x
KERDI-FIX
sealing and bonding compound (100 ml - **3.38 fl oz**)
(not included with 10-pack)

i

When using a flange with 3" *(75 mm)* outlet,
a 6" *(150 mm)* grate is recommended.

Schluter®-KERDI-DRAIN-H

Schluter®-KERDI-DRAIN-H - Flanges with horizontal outlet


ABS


PVC

Material	Outlet	Item No.	$ / Unit
ABS	50 mm - **2"**	KDH2/ABS/FL	**35.53**
PVC	50 mm - **2"**	KDH2/PVC/FL	**35.53**