
Schluter®-JOLLY

Schluter®-JOLLY is a decorative profile featuring a 90° angle designed to finish and protect external corners and other tile edges in wall applications. Its 90° angle creates a clean, flush look on wall corner installations, and the joint spacers on both sides of the profile ensure consistent grout joints and perfect symmetry. Matching corners are available, which feature innovative plug-in connections that result in clean, visually appealing corner applications.





Stainless Steel

Schluter®-JOLLY				
Length = 2.5 m - 8' 2-1/2"	Brushed stainless steel 304 (1.4301 = V2A) (EB)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 EB	58.62	EV / J 60 EB	28.21
8 - 5/16	J 80 EB	60.91	EV / J 80 EB	28.21
10 - 3/8	J 100 EB	62.56	EV / J 100 EB	28.21
11 - 7/16	J 110 EB	64.99	EV / J 110 EB	28.21
12.5 - 1/2	J 125 EB	65.24	EV / J 125 EB	28.21

Brass

Schluter®-JOLLY				
Length = 2.5 m - 8' 2-1/2"	Chrome-plated solid brass (MC)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 MC	113.17	EV / J 60 MC	26.99
8 - 5/16	J 80 MC	117.21	EV / J 80 MC	26.99
10 - 3/8	J 100 MC	118.70	EV / J 100 MC	26.99
11 - 7/16	J 110 MC	119.88	EV / J 110 MC	26.99
12.5 - 1/2	J 125 MC	120.69	EV / J 125 MC	26.99


Connector	Quantity	$ / Pkg.
V / J PP4	4	3.79





Note: The anchoring leg of **Schluter®-JOLLY** is available with a special radius perforation so that the profile can be used to form curves.

- Price surcharge: $0.70 per foot
- Chrome-plated brass requires a relatively large bending radius
- Item No.: R / Profile No. (e.g., R/J 60 EB)
- For delivery time, please call Customer Service









Notes:

- Corners in sizes 6 to 11 mm *(1/4" to 7/16")* include 4 plug-in connectors.
- Corners in size 12.5 mm *(1/2")* include 8 plug-in connectors.

Anodized Aluminum

Schluter®-JOLLY

Length = 2.5 m - 8' 2-1/2"	Satin anodized aluminum (AE)				Polished chrome anodized aluminum (ACG)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 AE	15.55	EV / J 60 AE	10.76	J 60 ACG	18.06	EV / J 60 ACG	14.09
8 - 5/16	J 80 AE	15.28	EV / J 80 AE	10.76	J 80 ACG	18.74	EV / J 80 ACG	14.09
10 - 3/8	J 100 AE	16.02	EV / J 100 AE	10.76	J 100 ACG	19.14	EV / J 100 ACG	14.09
11 - 7/16	J 110 AE	16.41	EV / J 110 AE	10.76	J 110 ACG	19.34	EV / J 110 ACG	14.09
12.5 - 1/2	J 125 AE	16.64	EV / J 125 AE	10.76	J 125 ACG	19.80	EV / J 125 ACG	14.09

Length = 2.5 m - 8' 2-1/2"	Brushed chrome anodized aluminum (ACGB)				Satin nickel anodized aluminum (AT)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 ACGB	21.84	EV / J 60 ACGB	14.09	J 60 AT	17.87	EV / J 60 AT	14.09
8 - 5/16	J 80 ACGB	22.00	EV / J 80 ACGB	14.09	J 80 AT	18.73	EV / J 80 AT	14.09
10 - 3/8	J 100 ACGB	23.82	EV / J 100 ACGB	14.09	J 100 AT	19.34	EV / J 100 AT	14.09
11 - 7/16	J 110 ACGB	24.05	EV / J 110 ACGB	14.09	J 110 AT	19.53	EV / J 110 AT	14.09
12.5 - 1/2	J 125 ACGB	24.49	EV / J 125 ACGB	14.09	J 125 AT	20.54	EV / J 125 AT	14.09

Length = 2.5 m - 8' 2-1/2"	Polished nickel anodized aluminum (ATG)				Brushed nickel anodized aluminum (ATGB)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 ATG	20.98	EV / J 60 ATG	14.09	J 60 ATGB	21.35	EV / J 60 ATGB	14.09
8 - 5/16	J 80 ATG	22.02	EV / J 80 ATG	14.09	J 80 ATGB	22.18	EV / J 80 ATGB	14.09
10 - 3/8	J 100 ATG	22.63	EV / J 100 ATG	14.09	J 100 ATGB	23.42	EV / J 100 ATGB	14.09
11 - 7/16	J 110 ATG	22.85	EV / J 110 ATG	14.09	J 110 ATGB	23.66	EV / J 110 ATGB	14.09
12.5 - 1/2	J 125 ATG	23.25	EV / J 125 ATG	14.09	J 125 ATGB	24.51	EV / J 125 ATGB	14.09

Length = 2.5 m - 8' 2-1/2"	Satin copper anodized aluminum (AK)				Polished copper anodized aluminum (AKG)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 AK	18.24	EV / J 60 AK	14.09	J 60 AKG	20.98	EV / J 60 AKG	14.09
8 - 5/16	J 80 AK	19.47	EV / J 80 AK	14.09	J 80 AKG	22.02	EV / J 80 AKG	14.09
10 - 3/8	J 100 AK	20.12	EV / J 100 AK	14.09	J 100 AKG	22.63	EV / J 100 AKG	14.09
11 - 7/16	J 110 AK	20.30	EV / J 110 AK	14.09	J 110 AKG	22.85	EV / J 110 AKG	14.09
12.5 - 1/2	J 125 AK	21.35	EV / J 125 AK	14.09	J 125 AKG	23.25	EV / J 125 AKG	14.09

Length = 2.5 m - 8' 2-1/2"	Brushed copper anodized aluminum (AKGB)				Satin brass anodized aluminum (AM)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 AKGB	21.35	EV / J 60 AKGB	14.09	J 60 AM	17.21	EV / J 60 AM	14.09
8 - 5/16	J 80 AKGB	22.62	EV / J 80 AKGB	14.09	J 80 AM	17.85	EV / J 80 AM	14.09
10 - 3/8	J 100 AKGB	23.87	EV / J 100 AKGB	14.09	J 100 AM	18.85	EV / J 100 AM	14.09
11 - 7/16	J 110 AKGB	24.12	EV / J 110 AKGB	14.09	J 110 AM	19.04	EV / J 110 AM	14.09
12.5 - 1/2	J 125 AKGB	24.51	EV / J 125 AKGB	14.09	J 125 AM	19.61	EV / J 125 AM	14.09

Schluter®-JOLLY								
Length = 2.5 m - **8' 2-1/2"**	Polished brass anodized aluminum (AMG)				Brushed brass anodized aluminum (AMGB)			
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner**	**$ / Unit**	**Profile**	**$ / Length**	**Outside corner**	**$ / Unit**
6 - **1/4**	J 60 AMG	**19.60**	EV / J 60 AMG	**14.09**	J 60 AMGB	**20.73**	EV / J 60 AMGB	**14.09**
8 - **5/16**	J 80 AMG	**20.49**	EV / J 80 AMG	**14.09**	J 80 AMGB	**22.00**	EV / J 80 AMGB	**14.09**
10 - **3/8**	J 100 AMG	**21.26**	EV / J 100 AMG	**14.09**	J 100 AMGB	**22.62**	EV / J 100 AMGB	**14.09**
11 - **7/16**	J 110 AMG	**21.48**	EV / J 110 AMG	**14.09**	J 110 AMGB	**22.84**	EV / J 110 AMGB	**14.09**
12.5 - **1/2**	J 125 AMG	**22.02**	EV / J 125 AMG	**14.09**	J 125 AMGB	**23.25**	EV / J 125 AMGB	**14.09**

Length = 2.5 m - **8' 2-1/2"**	Brushed antique bronze anodized aluminum (ABGB)				Bright black anodized aluminum (AGSG)			
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner**	**$ / Unit**	**Profile**	**$ / Length**	**Outside corner**	**$ / Unit**
6 - **1/4**	J 60 ABGB	**24.67**	EV / J 60 ABGB	**14.09**	J 60 AGSG	**20.78**	EV / J 60 AGSG	**14.09**
8 - **5/16**	J 80 ABGB	**25.94**	EV / J 80 ABGB	**14.09**	J 80 AGSG	**21.79**	EV / J 80 AGSG	**14.09**
10 - **3/8**	J 100 ABGB	**26.24**	EV / J 100 ABGB	**14.09**	J 100 AGSG	**22.40**	EV / J 100 AGSG	**14.09**
11 - **7/16**	J 110 ABGB	**26.50**	EV / J 110 ABGB	**14.09**	J 110 AGSG	**22.63**	EV / J 110 AGSG	**14.09**
12.5 - **1/2**	J 125 ABGB	**27.55**	EV / J 125 ABGB	**14.09**	J 125 AGSG	**23.05**	EV / J 125 AGSG	**14.09**

Length = 2.5 m - **8' 2-1/2"**	Brushed graphite anodized aluminum (AGRB)			
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner**	**$ / Unit**
6 - **1/4**	J 60 AGRB	**23.63**	EV / J 60 AGRB	**14.09**
8 - **5/16**	J 80 AGRB	**24.86**	EV / J 80 AGRB	**14.09**
10 - **3/8**	J 100 AGRB	**25.63**	EV / J 100 AGRB	**14.09**
11 - **7/16**	J 110 AGRB	**25.90**	EV / J 110 AGRB	**14.09**
12.5 - **1/2**	J 125 AGRB	**26.41**	EV / J 125 AGRB	**14.09**

10-foot *(3.05 m)* JOLLY Profiles – Anodized Aluminum								
Length = 3.05 m - **10'**	Satin anodized aluminum (AE)		Polished chrome anodized aluminum (ACG)		Satin nickel anodized aluminum (AT)		Brushed antique bronze anodized aluminum (ABGB)	
H = mm **- in.**	**Profile**	**$ / Length**	**Profile**	**$ / Length**	**Profile**	**$ / Length**	**Profile**	**$ / Length**
8 - **5/16**	J 80 AE / 300	**19.06**	J 80 ACG / 300	**23.50**	J 80 AT / 300	**23.46**	J 80 ABGB / 300	**32.41**
10 - **3/8**	J 100 AE / 300	**20.10**	J 100 ACG / 300	**23.90**	J 100 AT / 300	**24.24**	J 100 ABGB / 300	**32.83**
12.5 - **1/2**	J 125 AE / 300	**20.74**	J 125 ACG / 300	**24.71**	J 125 AT / 300	**25.63**	J 125 ABGB / 300	**34.45**

Special shipping conditions apply, see pages 207 - 208.

Connector	Quantity	$ / Pkg.
V / J PP4	**4**	**3.79**



Note: The anchoring leg of **Schluter®-JOLLY** is available with a special radius perforation so that the profile can be used to form curves.

- Price surcharge: $0.70 per foot
- Polished aluminum finishes require a relatively large bending radius
- Item No.: R / Profile No. (e.g., R/J 60 ACGB)
- For delivery time, please call Customer Service



Schluter®-TRENDLINE Textured Color-coated Aluminum

Schluter®-JOLLY				
Length = 2.5 m - 8' 2-1/2"	Textured color-coated aluminum (TS)			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 + color*	40.60	EV / J 60 + color*	20.29
8 - 5/16	J 80 + color*	41.48	EV / J 80 + color*	20.29
10 - 3/8	J 100 + color*	42.30	EV / J 100 + color*	20.29
11 - 7/16	J 110 + color*	42.73	EV / J 110 + color*	20.29
12.5 - 1/2	J 125 + color*	43.56	EV / J 125 + color*	20.29

***Color Codes**

TSI Ivory · TSBG Greige · TSSG Stone grey · TSC Cream · TSB Beige · TSR Rustic brown

TSOB Bronze · TSG Pewter · TSLA Light anthracite · TSDA Dark anthracite

* To complete the item number, add the color code (e.g., J 60 TSC).

Matte White and Matte Black

Length = 2.5 m - 8' 2-1/2"	Matte color-coated aluminum			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 + color*	32.47	EV / J 60 + color*	18.29
8 - 5/16	J 80 + color*	33.19	EV / J 80 + color*	18.29
10 - 3/8	J 100 + color*	33.83	EV / J 100 + color*	18.29
11 - 7/16	J 110 + color*	34.20	EV / J 110 + color*	18.29
12.5 - 1/2	J 125 + color*	34.87	EV / J 125 + color*	18.29

***Color Codes**

MBW Matte white · MGS Matte black

* To complete the item number, add the color code (e.g., J 60 MGS).

10-foot *(3.05 m)* JOLLY Profiles – Textured Color-coated Aluminum						
Length = 3.05 m - 10'	Textured color-coated aluminum (TS)		Matte white (MBW)		Matte black (MGS)	
H = mm - in.	Profile	$ / Length	Profile	$ / Length	Profile	$ / Length
6 - 1/4	J 60 + color* / 300	48.71	J 60 MBW / 300	38.98	J 60 MGS / 300	38.98
8 - 5/16	J 80 + color* / 300	49.78	J 80 MBW / 300	39.82	J 80 MGS / 300	39.82
10 - 3/8	J 100 + color* / 300	50.75	J 100 MBW / 300	40.61	J 100 MGS / 300	40.61
11 - 7/16	J 110 + color* / 300	51.28	J 110 MBW / 300	41.03	J 110 MGS / 300	41.03
12.5 - 1/2	J 125 + color* / 300	52.28	J 125 MBW / 300	41.84	J 125 MGS / 300	41.84

Special shipping conditions apply, see pages 207 - 208.

Color-coated Aluminum

Length = 2.5 m - 8' 2-1/2"	Color-coated aluminum			
H = mm - in.	Profile	$ / Length	Outside corner	$ / Unit
6 - 1/4	J 60 + color*	19.88	EV / J 60 + color*	13.07
8 - 5/16	J 80 + color*	20.80	EV / J 80 + color*	13.07
10 - 3/8	J 100 + color*	22.08	EV / J 100 + color*	13.07
11 - 7/16	J 110 + color*	22.78	EV / J 110 + color*	13.07
12.5 - 1/2	J 125 + color*	23.47	EV / J 125 + color*	13.07

***Color Codes**

BW Bright white · W White · SP Sand pebble · PG Classic grey · G Grey · GM Metallic grey

SB Black brown · GS Black

* To complete the item number, add the color code (e.g., J 60 G).

Connector	Quantity	$ / Pkg.
V / J PP4	4	3.79



Note: The anchoring leg of **Schluter®-JOLLY** is available with a special radius perforation so that the profile can be used to form curves.


- Price surcharge: $0.70 per foot
- Color-coated aluminum profiles require a relatively large bending radius
- Item No.: R / Profile No. (e.g., R/J 80 TSC)
- For delivery time, please call Customer Service



R = Radius

Schluter®-JOLLY-P

Schluter®-JOLLY-P is a PVC profile featuring an 87° angle designed to finish and protect external corners and other tile edges in wall applications. The vertical wall section of the profile provides a decorative finish and protects adjacent tiles. JOLLY-P in sizes 5/16" *(8 mm)* and higher features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.





Schluter®-JOLLY-P

Length = 2.5 m - 8' 2-1/2"	PVC	
H = mm - in.	Item No.	$ / Length
4.5 - 3/16	color* + 45	5.52
6 - 1/4	color* + 60	6.07
8 - 5/16	color* + 80	7.17
10 - 3/8	color* + 100	7.96
11 - 7/16	color* + 110	8.21
12.5 - 1/2	color* + 125	8.42

10-foot *(3.05 m)* JOLLY-P Profiles – PVC

Length = 3.05 m - 10'	Bright white (BW)	
H = mm - in.	Item No.	$ / Length
8 - 5/16	BW 80 / 300	8.97
10 - 3/8	BW 100 / 300	9.94
12.5 - 1/2	BW 125 / 300	10.53

Special shipping conditions apply, see pages 207 - 208.

Schluter®-JOLLY-JUNIOR

Length = 2.5 m - 8' 2-1/2"	PVC profile without a joint spacer	
H = mm - in.	Item No.	$ / Length
6 - 1/4	color* + 60 J	3.89
8 - 5/16	color* + 80 J	4.10
11 - 7/16	color* + 110 J	4.50

* To complete the item number, add the **color** code (e.g., **BW** 60 J).

Schluter®-JOLLY-JUNIOR is available in:
BW - SP - HB - PG
(Please refer to the color codes table)

*Color Codes

BW Bright white · W White · SP Sand pebble · BH Bahama · HB Light beige · HG Light grey · PG Classic grey · G Grey · GS Black

* To complete the item number, add the **color** code (e.g., **G** 45).


Get perfect cuts!
Schluter®-SNIPS for PVC profiles.
See page 197 for more information.



Schluter®-SCHIENE

Schluter®-SCHIENE is an edging profile featuring an 87° angle designed to finish and protect external corners and other tile edges. Though SCHIENE is typically used in floor applications, the finishes listed in this section are specifically suited for use in wall applications. SCHIENE in sizes 1/4" *(6 mm)* and higher features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

Notes:
- Also available in chrome-plated brass. Contact Customer Service for pricing and availability.
- RADIUS available, see page 17 for details.





Please be advised that SCHIENE in Bright Black and Brushed Graphite Anodized Aluminum (AGSG and AGRB), Chrome-plated Brass (MC), and in all colors of Color-coated Aluminum are being discontinued. These items will only remain available while supplies last.

Please reference JOLLY as an alternative option to these discontinued SCHIENE finishes.

Schluter®-SCHIENE

Length = 2.5 m - 8' 2-1/2"	Bright black anodized aluminum (AGSG)		Brushed graphite anodized aluminum (AGRB)		Color-coated aluminum	
H = mm - in.	Item No.	$ / Length	Item No.	$ / Length	Item No.	$ / Length
3 - 1/8	-	-	-	-	A 30 + color*	18.52
4.5 - 3/16	A 45 AGSG	19.42	-	-	A 45 + color*	18.79
6 - 1/4	A 60 AGSG	20.38	A 60 AGRB	23.17	A 60 + color*	19.48
8 - 5/16	A 80 AGSG	21.36	A 80 AGRB	24.37	A 80 + color*	20.40
10 - 3/8	A 100 AGSG	21.96	A 100 AGRB	25.13	A 100 + color*	21.64
11 - 7/16	-	-	-	-	A 110 + color*	22.34
12.5 - 1/2	A 125 AGSG	22.60	A 125 AGRB	25.90	A 125 + color*	23.01

*Color Codes

BW Bright white · W White · SP Sand pebble · BH Bahama · HB Light beige · HG Light grey · PG Classic grey · G Grey · GM Metallic grey · RB[1] Red brown · SB Black brown · GS Black

[1] Red brown (RB) is only available in sizes 80, 100, and 125.

* To complete the item number, add the **color** code (e.g., A 45 **G**).