
Schluter®-QUADEC


Schluter®-QUADEC is a finishing and edge-protection profile for tiled edges and outside corners of tiled surfaces. The reveal of the profile forms a square outer corner along the surface edge. QUADEC allows for modern decorative design and interesting contrasts. The profile can be combined with the Schluter®-QUADEC-FS feature strip profile and/or the Schluter®-DESIGNLINE border profile for further design options. QUADEC, in stainless steel, can also be used as a stair nosing or floor transition profile. QUADEC in aluminum and PVC feature an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.

Note: Also available in chrome-plated brass, and stainless steel 316L (1.4404 = V4A). Contact Customer Service for pricing and availability.





Inside/outside corner/end cap (EV/)





Stainless Steel 304 (1.4301 = V2A)

Schluter®-QUADEC

Length = 2.5 m - **8' 2-1/2"**	Stainless steel 304 (1.4301 = V2A) (E)					
H = mm **- in.**	**Profile**	**$ / Length**	**Inside/outside corner**	**$ / Unit**	**Connector**	**$ / Unit**
4.5 - **3/16**	Q 45 E	**58.40**	EV/Q 45 E	**43.35**	-	**-**
6 - **1/4**	Q 60 E	**68.45**	EV/Q 60 E	**49.34**	V/RO 60 E	**6.76**
7 - **9/32**	Q 70 E	**70.83**	EV/Q 70 E	**49.34**	-	**-**
8 - **5/16**	Q 80 E	**71.84**	EV/Q 80 E	**49.34**	V/RO 80 E	**6.76**
9 - **11/32**	Q 90 E	**76.94**	EV/Q 90 E	**49.34**	-	**-**
10 - **3/8**	Q 100 E	**77.15**	EV/Q 100 E	**56.94**	V/RO 100 E	**6.76**
11 - **7/16**	Q 110 E	**80.87**	EV/Q 110 E	**56.94**	V/RO 110 E	**6.76**
12.5 - **1/2**	Q 125 E	**81.71**	EV/Q 125 E	**56.94**	V/RO 125 E	**6.76**
14 - **17/32**	Q 140 E	**85.84**	EV/Q 140 E	**58.07**	-	**-**
15 - **9/16**	Q 150 E	**87.58**	EV/Q 150 E	**58.77**	-	**-**

Length = 2.5 m - **8' 2-1/2"**	Brushed stainless steel 304 (1.4301 = V2A) (EB)					
H = mm **- in.**	**Profile**	**$ / Length**	**Inside/outside corner**	**$ / Unit**	**Connector**	**$ / Unit**
6 - **1/4**	Q 60 EB	**102.57**	EV/Q 60 EB	**53.93**	V/RO 60 E	**6.76**
7 - **9/32**	Q 70 EB	**107.07**	EV/Q 70 EB	**53.93**	-	**-**
8 - **5/16**	Q 80 EB	**110.12**	EV/Q 80 EB	**53.93**	V/RO 80 E	**6.76**
9 - **11/32**	Q 90 EB	**112.32**	EV/Q 90 EB	**53.93**	-	**-**
10 - **3/8**	Q 100 EB	**115.03**	EV/Q 100 EB	**58.70**	V/RO 100 E	**6.76**
11 - **7/16**	Q 110 EB	**117.57**	EV/Q 110 EB	**58.70**	V/RO 110 E	**6.76**
12.5 - **1/2**	Q 125 EB	**120.04**	EV/Q 125 EB	**58.70**	V/RO 125 E	**6.76**
14 - **17/32**	Q 140 EB	**122.47**	EV/Q 140 EB	**59.87**	-	**-**
15 - **9/16**	Q 150 EB	**124.90**	EV/Q 150 EB	**61.59**	-	**-**

Anodized Aluminum

Schluter®-QUADEC

Length = 2.5 m - 8' 2-1/2"	Satin anodized aluminum (AE)				Polished chrome anodized aluminum (ACG)				Connector	
H = mm - in.	Profile	$ / Length	Inside/outside corner	$ / Unit	Profile	$ / Length	Inside/outside corner	$ / Unit	Item No.	$ / Unit
4.5 - 3/16	Q 45 AE	22.31	EV/Q 45 AE	11.89	Q 45 ACG	23.99	EV/Q 45 ACG	12.69	-	-
6 - 1/4	Q 60 AE	22.76	EV/Q 60 AE	11.89	Q 60 ACG	24.98	EV/Q 60 ACG	12.69	V/Q 60	2.84
8 - 5/16	Q 80 AE	24.43	EV/Q 80 AE	11.89	Q 80 ACG	27.87	EV/Q 80 ACG	12.69	V/RO 80	2.84
10 - 3/8	Q 100 AE	25.45	EV/Q 100 AE	11.89	Q 100 ACG	30.68	EV/Q 100 ACG	12.69	V/RO 100	2.84
12.5 - 1/2	Q 125 AE	29.98	EV/Q 125 AE	11.89	Q 125 ACG	35.95	EV/Q 125 ACG	12.69	V/RO 125	2.84
15 - 9/16	Q 150 AE	33.82	EV/Q 150 AE	12.69	-	-	-	-	-	-
20 - 3/4	Q 200 AE	37.01	EV/Q 200 AE	12.69	-	-	-	-	-	-

Length = 2.5 m - 8' 2-1/2"	Satin nickel anodized aluminum (AT)				Brushed nickel anodized aluminum (ATGB)				Connector	
H = mm - in.	Profile	$ / Length	Inside/outside corner	$ / Unit	Profile	$ / Length	Inside/outside corner	$ / Unit	Item No.	$ / Unit
4.5 - 3/16	Q 45 AT	23.95	EV/Q 45 AT	11.77	-	-	-	-	-	-
6 - 1/4	Q 60 AT	24.93	EV/Q 60 AT	11.77	-	-	-	-	V/Q 60	2.84
8 - 5/16	Q 80 AT	27.49	EV/Q 80 AT	11.77	Q 80 ATGB	27.10	EV/Q 80 ATGB	16.21	V/RO 80	2.84
10 - 3/8	Q 100 AT	29.15	EV/Q 100 AT	11.77	Q 100 ATGB	30.16	EV/Q 100 ATGB	16.21	V/RO 100	2.84
12.5 - 1/2	Q 125 AT	33.26	EV/Q 125 AT	11.77	Q 125 ATGB	32.57	EV/Q 125 ATGB	16.21	V/RO 125	2.84

Length = 2.5 m - 8' 2-1/2"	Brushed antique bronze anodized aluminum (ABGB)				Connector	
H = mm - in.	Profile	$ / Length	Inside/outside corner	$ / Unit	Item No.	$ / Unit
6 - 1/4	Q 60 ABGB	26.54	EV/Q 60 ABGB	16.21	V/Q 60	2.84
8 - 5/16	Q 80 ABGB	27.10	EV/Q 80 ABGB	16.21	V/RO 80	2.84
10 - 3/8	Q 100 ABGB	30.16	EV/Q 100 ABGB	16.21	V/RO 100	2.84
12.5 - 1/2	Q 125 ABGB	32.57	EV/Q 125 ABGB	16.21	V/RO 125	2.84

10-foot *(3.05 m)* QUADEC Profiles – Anodized Aluminum


Length = 3.05 m - 10'	Polished chrome anodized aluminum (ACG)	
H = mm - in.	Profile	$ / Length
8 - 5/16	Q 80 ACG / 300	34.80
10 - 3/8	Q 100 ACG / 300	38.39
12.5 - 1/2	Q 125 ACG / 300	44.92

Special shipping conditions apply, see pages 207 - 208.

Schluter®-TRENDLINE Textured Color-coated Aluminum

Schluter®-QUADEC

Length = 2.5 m - 8' 2-1/2"	Textured color-coated aluminum (TS)					
H = mm - in.	Profile	$ / Length	Inside/outside corner	$ / Unit	Connector	$ / Unit
4.5 - 3/16	Q 45 + color*	51.40	EV/Q 45 + color*	20.54	-	-
6 - 1/4	Q 60 + color*	52.44	EV/Q 60 + color*	20.54	V/Q 60	2.84
8 - 5/16	Q 80 + color*	53.50	EV/Q 80 + color*	20.54	V/RO 80	2.84
10 - 3/8	Q 100 + color*	54.97	EV/Q 100 + color*	20.54	V/RO 100	2.84
11 - 7/16	Q 110 + color*	55.68	EV/Q 110 + color*	20.54	V/RO 110	2.84
12.5 - 1/2	Q 125 + color*	56.27	EV/Q 125 + color*	20.54	V/RO 125	2.84



*Color Codes

TSI Ivory · TSBG Greige · TSSG Stone grey · TSC Cream · TSB Beige · TSR Rustic brown · TSOB Bronze · TSG Pewter · TSLA Light anthracite · TSDA Dark anthracite

* To complete the item number, add the color code (e.g., Q 60 TSC).

Matte White and Matte Black

Length = 2.5 m - 8' 2-1/2"	Matte color-coated aluminum					
H = mm - in.	Profile	$ / Length	Inside/outside corner	$ / Unit	Connector	$ / Unit
4.5 - 3/16	Q 45 + color*	40.74	EV/Q 45 + color*	20.54	-	-
6 - 1/4	Q 60 + color*	41.58	EV/Q 60 + color*	20.54	V/Q 60	2.84
8 - 5/16	Q 80 + color*	42.40	EV/Q 80 + color*	20.54	V/RO 80	2.84
10 - 3/8	Q 100 + color*	43.82	EV/Q 100 + color*	20.54	V/RO 100	2.84
11 - 7/16	Q 110 + color*	44.29	EV/Q 110 + color*	20.54	V/RO 110	2.84
12.5 - 1/2	Q 125 + color*	44.74	EV/Q 125 + color*	20.54	V/RO 125	2.84

*Color Codes

MBW Matte white · MGS Matte black

* To complete the item number, add the color code (e.g., Q 60 MGS).

10-foot *(3.05 m)* QUADEC Profiles – Textured Color-coated Aluminum

Length = 3.05 m - 10'	Textured color-coated aluminum (TS)		Matte white (MBW)		Matte black (MGS)	
H = mm - in.	Profile	$ / Length	Profile	$ / Length	Profile	$ / Length
6 - 1/4	Q 60 + color* / 300	65.57	Q 60 MBW / 300	51.97	Q 60 MGS / 300	51.97
8 - 5/16	Q 80 + color* / 300	66.89	Q 80 MBW / 300	53.02	Q 80 MGS / 300	53.02
10 - 3/8	Q 100 + color* / 300	68.71	Q 100 MBW / 300	54.77	Q 100 MGS / 300	54.77
11 - 7/16	Q 110 + color* / 300	69.65	Q 110 MBW / 300	55.35	Q 110 MGS / 300	55.35
12.5 - 1/2	Q 125 + color* / 300	70.34	Q 125 MBW / 300	55.92	Q 125 MGS / 300	55.92

Special shipping conditions apply, see pages 207 - 208.

Color-coated Aluminum

Schluter®-QUADEC				
Length = 2.5 m - **8' 2-1/2"**	Color-coated aluminum (AC)			
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner, 90° (die cast)**	**$ / Unit**
4.5 - **3/16**	Q 45 + **color***	**21.73**	ED/Q 45 + **color***	**6.21**
6 - **1/4**	Q 60 + **color***	**23.41**	ED/Q 60 + **color***	**6.21**
8 - **5/16**	Q 80 + **color***	**26.31**	ED/Q 80 + **color***	**6.21**
10 - **3/8**	Q 100 + **color***	**29.65**	ED/Q 100 + **color***	**6.21**
11 - **7/16**	Q 110 + **color***	**31.51**	ED/Q 110 + **color***	**6.21**
12.5 - **1/2**	Q 125 + **color***	**35.08**	ED/Q 125 + **color***	**6.21**

*Color Codes

BW Bright white · W White · SP Sand pebble · PG Classic grey · QG Quartz Grey

VG Traffic grey · SB Black brown · GS Black

* To complete the item number, add the **color** code (e.g., Q 45 **PG**).

PVC

Length = 2.5 m - **8' 2-1/2"**	PVC (P)			
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner, 90°**	**$ / Unit**
6 - **1/4**	PQ 60 + **color***	**10.56**	E/PQ 60 + **color***	**3.54**
8 - **5/16**	PQ 80 + **color***	**11.10**	E/PQ 80 + **color***	**3.54**
10 - **3/8**	PQ 100 + **color***	**11.85**	E/PQ 100 + **color***	**3.54**
11 - **7/16**	PQ 110 + **color***	**13.33**	E/PQ 110 + **color***	**3.54**
12.5 - **1/2**	PQ 125 + **color***	**14.81**	E/PQ 125 + **color***	**3.54**

*Color Codes

BW Bright white · W White · SP Sand pebble · BH Bahama · HB Light beige

HG Light grey · PG Classic grey · G Grey · GS Black

* To complete the item number, add the **color** code (e.g., PQ 80 **PG**).



QUADEC in cream (page 41)