


Schluter®-RONDEC-STEP

Schluter®-RONDEC-STEP is a finishing and edging profile for ceramic tile and dimension stone installations on countertops and stairs. The top of the profile features a symmetrically rounded edge that matches the Schluter®-RONDEC profile, while the vertical leg of the profile hides the exposed edge of the sub-assembly. RONDEC-STEP features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.





Outside corner (90° or 135°)



Inside corner (90° or 135°)



Schluter®-RONDEC-STEP

Length = 2.5 m - 8' 2-1/2"	Satin anodized aluminum (AE)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - 1-1/2"							
8 - 5/16	RS 80 AE 39	55.87	E90 RS 80 AE 39	E135 RS 80 AE 39	I90 RS 80 AE 39	I135 RS 80 AE 39	27.61
10 - 3/8	RS 100 AE 39	56.78	E90 RS 100 AE 39	E135 RS 100 AE 39	I90 RS 100 AE 39	I135 RS 100 AE 39	27.61
12.5 - 1/2	RS 125 AE 39	59.35	E90 RS 125 AE 39	E135 RS 125 AE 39	I90 RS 125 AE 39	I135 RS 125 AE 39	27.61
A: 57 mm - 2-1/4"							
8 - 5/16	RS 80 AE 57	64.55	E90 RS 80 AE 57	E135 RS 80 AE 57	I90 RS 80 AE 57	I135 RS 80 AE 57	27.61
10 - 3/8	RS 100 AE 57	65.17	E90 RS 100 AE 57	E135 RS 100 AE 57	I90 RS 100 AE 57	I135 RS 100 AE 57	27.61
12.5 - 1/2	RS 125 AE 57	68.91	E90 RS 125 AE 57	E135 RS 125 AE 57	I90 RS 125 AE 57	I135 RS 125 AE 57	27.61

Length = 2.5 m - 8' 2-1/2"	Brushed chrome anodized aluminum (ACGB)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - 1-1/2"							
8 - 5/16	RS 80 ACGB 39	72.38	E90 RS 80 ACGB 39	E135 RS 80 ACGB 39	I90 RS 80 ACGB 39	I135 RS 80 ACGB 39	29.79
10 - 3/8	RS 100 ACGB 39	73.14	E90 RS 100 ACGB 39	E135 RS 100 ACGB 39	I90 RS 100 ACGB 39	I135 RS 100 ACGB 39	29.79
12.5 - 1/2	RS 125 ACGB 39	74.98	E90 RS 125 ACGB 39	E135 RS 125 ACGB 39	I90 RS 125 ACGB 39	I135 RS 125 ACGB 39	29.79
A: 57 mm - 2-1/4"							
8 - 5/16	RS 80 ACGB 57	73.10	E90 RS 80 ACGB 57	E135 RS 80 ACGB 57	I90 RS 80 ACGB 57	I135 RS 80 ACGB 57	29.79
10 - 3/8	RS 100 ACGB 57	73.89	E90 RS 100 ACGB 57	E135 RS 100 ACGB 57	I90 RS 100 ACGB 57	I135 RS 100 ACGB 57	29.79
12.5 - 1/2	RS 125 ACGB 57	75.77	E90 RS 125 ACGB 57	E135 RS 125 ACGB 57	I90 RS 125 ACGB 57	I135 RS 125 ACGB 57	29.79

Length = 2.5 m - 8' 2-1/2"	Satin nickel anodized aluminum (AT)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - 1-1/2"							
8 - 5/16	RS 80 AT 39	55.87	E90 RS 80 AT 39	E135 RS 80 AT 39	I90 RS 80 AT 39	I135 RS 80 AT 39	27.61
10 - 3/8	RS 100 AT 39	56.78	E90 RS 100 AT 39	E135 RS 100 AT 39	I90 RS 100 AT 39	I135 RS 100 AT 39	27.61
12.5 - 1/2	RS 125 AT 39	59.35	E90 RS 125 AT 39	E135 RS 125 AT 39	I90 RS 125 AT 39	I135 RS 125 AT 39	27.61
A: 57 mm - 2-1/4"							
8 - 5/16	RS 80 AT 57	64.55	E90 RS 80 AT 57	E135 RS 80 AT 57	I90 RS 80 AT 57	I135 RS 80 AT 57	27.61
10 - 3/8	RS 100 AT 57	65.17	E90 RS 100 AT 57	E135 RS 100 AT 57	I90 RS 100 AT 57	I135 RS 100 AT 57	27.61
12.5 - 1/2	RS 125 AT 57	68.91	E90 RS 125 AT 57	E135 RS 125 AT 57	I90 RS 125 AT 57	I135 RS 125 AT 57	27.61

Schluter®-RONDEC-STEP

Length = 2.5 m - 8' 2-1/2"	Brushed nickel anodized aluminum (ATGB)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - **1-1/2"**							
8 - **5/16**	RS 80 ATGB 39	**72.38**	E90 RS 80 ATGB 39	E135 RS 80 ATGB 39	I90 RS 80 ATGB 39	I135 RS 80 ATGB 39	**29.79**
10 - **3/8**	RS 100 ATGB 39	**73.14**	E90 RS 100 ATGB 39	E135 RS 100 ATGB 39	I90 RS 100 ATGB 39	I135 RS 100 ATGB 39	**29.79**
12.5 - **1/2**	RS 125 ATGB 39	**74.98**	E90 RS 125 ATGB 39	E135 RS 125 ATGB 39	I90 RS 125 ATGB 39	I135 RS 125 ATGB 39	**29.79**

Length = 2.5 m - 8' 2-1/2"	Satin copper anodized aluminum (AK)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - **1-1/2"**							
8 - **5/16**	RS 80 AK 39	**55.87**	E90 RS 80 AK 39	E135 RS 80 AK 39	I90 RS 80 AK 39	I135 RS 80 AK 39	**27.61**
10 - **3/8**	RS 100 AK 39	**56.78**	E90 RS 100 AK 39	E135 RS 100 AK 39	I90 RS 100 AK 39	I135 RS 100 AK 39	**27.61**
12.5 - **1/2**	RS 125 AK 39	**59.35**	E90 RS 125 AK 39	E135 RS 125 AK 39	I90 RS 125 AK 39	I135 RS 125 AK 39	**27.61**
A: 57 mm - **2-1/4"**							
8 - **5/16**	RS 80 AK 57	**64.55**	E90 RS 80 AK 57	E135 RS 80 AK 57	I90 RS 80 AK 57	I135 RS 80 AK 57	**27.61**
10 - **3/8**	RS 100 AK 57	**65.17**	E90 RS 100 AK 57	E135 RS 100 AK 57	I90 RS 100 AK 57	I135 RS 100 AK 57	**27.61**
12.5 - **1/2**	RS 125 AK 57	**68.91**	E90 RS 125 AK 57	E135 RS 125 AK 57	I90 RS 125 AK 57	I135 RS 125 AK 57	**27.61**

Length = 2.5 m - 8' 2-1/2"	Brushed copper anodized aluminum (AKGB)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - **1-1/2"**							
8 - **5/16**	RS 80 AKGB 39	**72.38**	E90 RS 80 AKGB 39	E135 RS 80 AKGB 39	I90 RS 80 AKGB 39	I135 RS 80 AKGB 39	**29.79**
10 - **3/8**	RS 100 AKGB 39	**73.14**	E90 RS 100 AKGB 39	E135 RS 100 AKGB 39	I90 RS 100 AKGB 39	I135 RS 100 AKGB 39	**29.79**
12.5 - **1/2**	RS 125 AKGB 39	**74.98**	E90 RS 125 AKGB 39	E135 RS 125 AKGB 39	I90 RS 125 AKGB 39	I135 RS 125 AKGB 39	**29.79**
A: 57 mm - **2-1/4"**							
8 - **5/16**	RS 80 AKGB 57	**73.10**	E90 RS 80 AKGB 57	E135 RS 80 AKGB 57	I90 RS 80 AKGB 57	I135 RS 80 AKGB 57	**29.79**
10 - **3/8**	RS 100 AKGB 57	**73.89**	E90 RS 100 AKGB 57	E135 RS 100 AKGB 57	I90 RS 100 AKGB 57	I135 RS 100 AKGB 57	**29.79**
12.5 - **1/2**	RS 125 AKGB 57	**75.77**	E90 RS 125 AKGB 57	E135 RS 125 AKGB 57	I90 RS 125 AKGB 57	I135 RS 125 AKGB 57	**29.79**

Length = 2.5 m - 8' 2-1/2"	Satin brass anodized aluminum (AM)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 57 mm - **2-1/4"**							
8 - **5/16**	RS 80 AM 57	**64.55**	E90 RS 80 AM 57	E135 RS 80 AM 57	I90 RS 80 AM 57	I135 RS 80 AM 57	**27.61**
10 - **3/8**	RS 100 AM 57	**65.17**	E90 RS 100 AM 57	E135 RS 100 AM 57	I90 RS 100 AM 57	I135 RS 100 AM 57	**27.61**
12.5 - **1/2**	RS 125 AM 57	**68.91**	E90 RS 125 AM 57	E135 RS 125 AM 57	I90 RS 125 AM 57	I135 RS 125 AM 57	**27.61**


Length = 2.5 m - 8' 2-1/2"	Brushed brass anodized aluminum (AMGB)						
H = mm - in.	Profile	$ / Length	Outside corner, 90°	Outside corner, 135°	Inside corner, 90°	Inside corner, 135°	$ / Unit
A: 39 mm - **1-1/2"**							
8 - **5/16**	RS 80 AMGB 39	**72.38**	E90 RS 80 AMGB 39	E135 RS 80 AMGB 39	I90 RS 80 AMGB 39	I135 RS 80 AMGB 39	**29.79**
10 - **3/8**	RS 100 AMGB 39	**73.14**	E90 RS 100 AMGB 39	E135 RS 100 AMGB 39	I90 RS 100 AMGB 39	I135 RS 100 AMGB 39	**29.79**
12.5 - **1/2**	RS 125 AMGB 39	**74.98**	E90 RS 125 AMGB 39	E135 RS 125 AMGB 39	I90 RS 125 AMGB 39	I135 RS 125 AMGB 39	**29.79**
A: 57 mm - **2-1/4"**							
8 - **5/16**	RS 80 AMGB 57	**73.10**	E90 RS 80 AMGB 57	E135 RS 80 AMGB 57	I90 RS 80 AMGB 57	I135 RS 80 AMGB 57	**29.79**
10 - **3/8**	RS 100 AMGB 57	**73.89**	E90 RS 100 AMGB 57	E135 RS 100 AMGB 57	I90 RS 100 AMGB 57	I135 RS 100 AMGB 57	**29.79**
12.5 - **1/2**	RS 125 AMGB 57	**75.77**	E90 RS 125 AMGB 57	E135 RS 125 AMGB 57	I90 RS 125 AMGB 57	I135 RS 125 AMGB 57	**29.79**


Schluter®-RONDEC-STEP

Length = 2.5 m - **8' 2-1/2"**	Brushed antique bronze anodized aluminum (ABGB)						
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner, 90°**	**Outside corner, 135°**	**Inside corner, 90°**	**Inside corner, 135°**	**$ / Unit**
A: 39 mm **- 1-1/2"**							
8 - **5/16**	RS 80 ABGB 39	**72.38**	E90 RS 80 ABGB 39	E135 RS 80 ABGB 39	I90 RS 80 ABGB 39	I135 RS 80 ABGB 39	**29.79**
10 - **3/8**	RS 100 ABGB 39	**73.14**	E90 RS 100 ABGB 39	E135 RS 100 ABGB 39	I90 RS 100 ABGB 39	I135 RS 100 ABGB 39	**29.79**
12.5 - **1/2**	RS 125 ABGB 39	**74.98**	E90 RS 125 ABGB 39	E135 RS 125 ABGB 39	I90 RS 125 ABGB 39	I135 RS 125 ABGB 39	**29.79**


Schluter®-RONDEC-CT

Schluter®-RONDEC-CT is a double-rail edging profile for countertops to be fitted with a ceramic or dimension stone tile covering. The face of the profile features a recessed section to which field or accent tile is bonded. The top and bottom edges of the profile are symmetrically rounded and match the Schluter®-RONDEC profile. RONDEC-CT features an integrated joint spacer that establishes a defined joint cavity between the tile and the profile.





Outside corner (90° or 135°)



Inside corner (90° or 135°)



Schluter®-RONDEC-CT

Length = 2.5 m - **8' 2-1/2"**	Satin anodized aluminum (AE)						
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner, 90°**	**Outside corner, 135°**	**Inside corner, 90°**	**Inside corner, 135°**	**$ / Unit**
8 - **5/16**	RC 80 AE 39	**59.50**	E90 RC 80 AE 39	E135 RC 80 AE 39	I90 RC 80 AE 39	I135 RC 80 AE 39	**31.19**
10 - **3/8**	RC 100 AE 39	**60.53**	E90 RC 100 AE 39	E135 RC 100 AE 39	I90 RC 100 AE 39	I135 RC 100 AE 39	**31.19**
12.5 - **1/2**	RC 125 AE 39	**63.28**	E90 RC 125 AE 39	E135 RC 125 AE 39	I90 RC 125 AE 39	I135 RC 125 AE 39	**31.19**

Length = 2.5 m - **8' 2-1/2"**	Brushed chrome anodized aluminum (ACGB)						
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner, 90°**	**Outside corner, 135°**	**Inside corner, 90°**	**Inside corner, 135°**	**$ / Unit**
8 - **5/16**	RC 80 ACGB 39	**67.58**	E90 RC 80 ACGB 39	E135 RC 80 ACGB 39	I90 RC 80 ACGB 39	I135 RC 80 ACGB 39	**35.95**
10 - **3/8**	RC 100 ACGB 39	**67.97**	E90 RC 100 ACGB 39	E135 RC 100 ACGB 39	I90 RC 100 ACGB 39	I135 RC 100 ACGB 39	**35.95**
12.5 - **1/2**	RC 125 ACGB 39	**70.33**	E90 RC 125 ACGB 39	E135 RC 125 ACGB 39	I90 RC 125 ACGB 39	I135 RC 125 ACGB 39	**35.95**

Length = 2.5 m - **8' 2-1/2"**	Satin nickel anodized aluminum (AT)						
H = mm **- in.**	**Profile**	**$ / Length**	**Outside corner, 90°**	**Outside corner, 135°**	**Inside corner, 90°**	**Inside corner, 135°**	**$ / Unit**
8 - **5/16**	RC 80 AT 39	**65.14**	E90 RC 80 AT 39	E135 RC 80 AT 39	I90 RC 80 AT 39	I135 RC 80 AT 39	**31.19**
10 - **3/8**	RC 100 AT 39	**66.62**	E90 RC 100 AT 39	E135 RC 100 AT 39	I90 RC 100 AT 39	I135 RC 100 AT 39	**31.19**
12.5 - **1/2**	RC 125 AT 39	**69.40**	E90 RC 125 AT 39	E135 RC 125 AT 39	I90 RC 125 AT 39	I135 RC 125 AT 39	**31.19**